8-9-01

Attorney Docket No.: 002818/PDD/PSI/JW

	-11-
IN THE UNITED STATES PATE	NT AND TRADEMARK OFFICE 13 2001
IN THE CIVILED STATES TATES.	TC 2800 MAIL ROOM
	LOUU MAIL ROOM
In re Application of:) Group Art Unit: 2813
Suketu A. Parikh) Examiner: Pham, T
) Examiner. I main, 1
Serial No.: 09/244,788) TDANGMITTAL LETTED
711 1 0/5/00) TRANSMITTAL LETTER
Filed: 2/5/99) · · ·
)
For: Dual Damascene Misalignment)
Tolerant Techniques For Vias And) •
Sacrificial Etch Segments	
Assistant Commissioner for Patents	
Washington, D.C. 20231	
Sir:	·
TRANSM	MITTAL
Enclosed for the above-identified pa	tent application please find:
X Clean Amended Claims in Response to Notice of Non-	
Compliance	
	re Statement
 X Information Disclosure Statement X Form PTO-1449 X Certification under 37 CFR 1.97(e) X Copy of 1 reference 	
X Certification under 3'	7 CFR 1 97(e)
X Copy of 1 reference	7 CIR 1.57(0)
A Copy of 1 reference	
Disease differential company and analytic	PATENT COUNSEL
Please address all correspondence to:	
	APPLIED MATERIAL, INC.
	Legal Affairs Department
	P.O. Box 450 A
	Santa Clara, CA 95052
•	Respectfully submitted,
LA	AW OFFICE of ALBERT J. DALHUISEN
(100.0)	Ma(411) 200 ·
Dated: (luguet 8, 2001	By: West fuller
	Albert J. Dalhuisen
I hereby certify that this correspondence is being deposited	Reg. No. 36, 117
with the United States Postal Service as express mail in an	Attorney for Applicant
envelope to: Assistant Commissioner For Patents, Washington,	0.0
D.C. 20231 Express Mail Receipt No. <i>EF 279 587529</i>	<u>US</u>
Date of Deposit <u>August</u> 2001	-
Signature Medical Control	_
Albert J. Dalhuisen	